No.



200000120

THE UNIVERD STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

THERE'S, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW. THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE LET TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR STING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROPAGATION OF PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

SOYBEAN

'92B75'

In Testimon Thereof, I have hereunto set my hand and caused the seal of the Hant Haristy Frotestian Office to be affixed at the City of Washington, D.C. this eighth day of May, in the year of our Lord two thousand one.

aluni R. Port

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service an Menemon

	on all reproductions.		FORM APPROVED - OMB NO. 0581-0055
U.S. DEPARTMENT OF AGRICULTUR AGRICULTURAL MARKETING SERVI SCIENCE DIVISION - PLANT VARIETY PROTECT	CE	The following statements are made 1974 (5 U.S.C. 552a).	le in accordance with the Privacy Act of
APPLICATION FOR PLANT VARIETY PROTEC (Instructions and information collection burden sta	TION CERTIFICATE		o determine if a plant variety protection 2. 2421). Information is held confidential . 2426).
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. EXPERIMENTAL NUMBER	3. VARIETY NAME
Pioneer Hi-Bred International, Inc.			92B75
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZiP Code,	and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY
7300 NW 62nd Ave		515-270-3582	2°040°0 0 0120
P.O. Box 1004			
Johnston, Iowa 50131-1004		6. FAX (include area code)	F DATE
100		515-253-2288	1/10/00
GENUS AND SPECIES NAME	8. FAMILY NAME (E	Botanical)	G FILING AND EXAMINATION FEE:
Glycine max L.	Legumi	nosae	[· 2450 a)
CROP KIND NAME (Common name)			S DATE
Soybean			
IO. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF OR	RGANIZATION (corporation, partne	ership, association, etc.) (Common name)	C CERTIFICATION FEE:
Corporation			<u> </u>
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	DATE
Iowa		May 6, 1926	4/13/0/
3. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY	, TO SERVE IN THIS APPLICAT	ION AND RECEIVE ALL PAPERS	14. TELEPHONE (include area code)
John Grace	Jean Brom	ert (Copy)	515-270-3582
7300 NW 62nd Ave.	7100 NW	62nd Ave.	15. FAX (include area code)
P.O. Box 1004	P.O. Box 1	1000	To True (menade dieu code)
Johnston, Iowa 50131-1004	Johnston, I	Iowa 50131-1000	515-253-2288
6. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED	(Follow instructions on revers	se)	
a. 🗹 Exhibit A. Origin and Breeding History of the Variety			
b. Exhibit B. Statement of Distinctness	•		
c. Exhibit C. Objective Description of the Variety			
d. 🗹 Exhibit D. Additional Description of the Variety			
e. 🗹 Exhibit E. Statement of the Basis of the Applicant's Owner	•		
f. Voucher Sample (2,600 viable untreated seeds or, for tube			aintained in a public repository)
g. Filing and Examination Fee (\$2450), made payable to "Treat		(Mail to PVPO)	
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE S YES If "yes," answer items 18 and 19 below)		r, A5 A CLASS OF CERTIFIED SEED (See Section) "no," go to item (20)	on 83(a) of the Plant Variety Protection Act)?
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE L			OF PRODUCTION BEYOND BREEDER SEED?
GENERATIONS? YES NO		FOUNDATION REGISTE	
HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY B	REEN RELEASED LISED OFFE		
YES (If "yes," give names of countries and dates)	✓ NO	ED FOR SALE, OR MARKETED IN THE U.S. O	NOTHER COUNTRIES?
	- T-4		
	ariety will be furnished with ap deposited in a public renosito	plication and will be replenished upon request ry and maintained for the duration of the certif	in accordance with such regulations as may be cate
The applicant(s) declare that a viable sample of basic seed of the va applicable, or for a tuber propagated variety a tissue culture will be			
applicable, or for a tuber propagated variety a tissue culture will be The undersigned applicant(s) is/are) the owner(s) of this sexually re	enroduced or tuber propagated	l plant variety, and believe(s) that the variety is	new. distinct. uniform, and stable as required
applicable, or for a tuber propagated variety a tissue culture will be The undersigned applicant(s) is/are) the owner(s) of this sexually re Section 41, and is entitled to protection under the provisions of Sec	eproduced or tuber propagated ction 42 of the Plant Variety Pro	otection Act.	new. distinct. uniform, and stable as required
applicable, or for a tuber propagated variety a tissue culture will be The undersigned applicant(s) is/are) the owner(s) of this sexually re Section 41, and is entitled to protection under the provisions of Sec Applicant(s) is(are) informed that false representation herein can jee	enroduced or tuber propagated tion 42 of the Plant Variety Pro opardize protection and result	in penalties.	new. distinct. uniform, and stable as required
applicable, or for a tuber propagated variety a tissue culture will be The undersigned applicant(s) is/are) the owner(s) of this sexually re Section 41, and is entitled to protection under the provisions of Sec Applicant(s) is(are) informed that false representation herein can jee	enroduced or tuber propagated tion 42 of the Plant Variety Pro opardize protection and result	otection Act.	new. distinct. uniform, and stable as required
applicable, or for a tuber propagated variety a tissue culture will be The understaned applicant(s) is/are) the owner(s) of this sexually re Section 41, and is entitled to protection under the provisions of Sec Applicant(s) is/are) informed that false representation herein can jee	enroduced or tuber propagated ction 42 of the Plant Variety Pro opardize protection and result SIGI	in penalties.	new. distinct. uniform, and stable as required
applicable, or for a tuber propagated variety a tissue culture will be The undersioned applicant(s) is/are) the owner(s) of this sexually re Section 41, and is entitled to protection under the provisions of Sec	enroduced or tuber propagated ction 42 of the Plant Variety Pro opardize protection and result SIGI	otection Act. In penalties. NATURE OF APPLICANT <i>(Owner(s))</i>	new. distinct. uniform, and stable as required
applicable, or for a tuber propagated variety a tissue culture will be The undersigned applicant(s) is/are) the owner(s) of this sexually re Section 41, and is entitled to protection under the provisions of Sec Applicant(s) is/are) informed that false representation herein can jee GNATURE OF APPLICANT (Owner(s)) ame (Please print or type) D. John Grace III	enroduced or tuber propagated ction 42 of the Plant Variety Pro opardize protection and result SIGI	otection Act. In penalties. NATURE OF APPLICANT <i>(Owner(s))</i>	new. distinct. uniform, and stable as required

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 92B75

Variety 92B75 evolved from a 1993 cross of 9281/{A3237/[A3237/[9362/(9392/(9392/40-3-2))]]}.

It is an F5-derived variety which was advanced to the F5 generation by the bulk method. The F6 progeny row of 92B75 was grown at a Pioneer winter nursery site near Buin, Chile during the winter of 1995/1996. Subsequently, 92B75 has undergone 3 years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of high yield and resistance to labeled rates of Roundup branded herbicides, variety 92B75 was assigned a commercial number.

The purification block was grown during the winter of 1997-1998 at Pioneer's winter nursery facility near Buin, Chile and the 1/2 acre block was rouged and bulked for increase. 8 acres of 92B75 (breeders seed) were grown in the summer of 1998. 269 acres of parent seedstock (foundation seed equivalent) were grown in the summer of 1999 and 14,470 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 92B75

Variety 92B75 is most similar to variety 9281. Both varieties have purple flowers, tawny pubescence, and yellow seeds with black hila. However, 92B75 is resistant to labeled rates of Roundup branded herbicides, whereas 9281 is susceptible.

Variety 92B75 is also similar to LL2771, AP3334, J271, and A1900. However, 92B75 is resistant to labeled rates of Roundup branded herbicides whereas LL2771, AP3334, J271, and A1900 are susceptible.

Variety 92B75 is also similar to CX266RR and CX296RR in maturity and resistance to labeled rates of Roundup branded herbicides. However, 92B75 is resistant to Phytophthora megasperma Race 5, whereas CX266RR and CX296RR are susceptible.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

NAME OF APPLICANT(S)	EAN (Glycine max L	
Pioneer Hi-Bred International, Inc.	TEMPORARY DESIGNATION	
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)		92B75
7300 N.W. 62nd Ave., P.O. Box 1004		FOR OFFICIAL USE ONLY
·		2000001253
Johnston, IA 50131-1004		
Choose the appropriate response which characterizes the variety in the the number of boxes provided, place a zero on the first box when number adequate soybean variety description. Other characters should be description.	ber is 9 or less (e.g., [n.] o]). Sta	rred characters 👉 are considered fundamental to an
1. SEED SHAPE:		
	W T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1. 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	•	Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) Flattened (L/T ratio > 1.2; T/W > 1.2)
★ 2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Spe	ecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton')	2 = Shiny ('Nebsoy'; 'Ga	nsoy 17')
★ 4. SEED SIZE: (Mature Seed)	· · · · · · · · · · · · · · · · · · ·	
1 6 Grams per 100 seeds		
★ 5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray	5 = Imperfect Black 6 = Bl	lack 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:		***************************************
2 1 = Low 2 = High		·
★ 8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 a) 2 = Type	B (SP1 b)	
★9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis')	2 = Green with bron:	ze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson';	'Pickett 71')	
4 = Dark Purple extending to unifoliate leaves	s ('Hodgson'; 'Coker Hampton	266A')
★ 10. LEAFLET SHAPE:	· · · · · · · · · · · · · · · · · · ·	
3 1 = Lanceolate 2 = Oval 3 = O	vate 4 = Other (Specif	fy)
EODM 1 MCC 470 E7 (6.92) (E-1/4		

				Variety Marine 02010
	11. LEAFLET SIZ	E:		
	2 1=8	mali ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
		arge ('Crawford'; 'Tracy')	·	
	12. LEAF COLOR	₹:		
	3 1=L	ight Green ('Weber'; 'York')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
		ark Green ('Gnome'; 'Tracy')	, , , , , , , , , , , , , , , , , , , ,	
$\overline{\star}$	13. FLOWER CO	LOR:		***************************************
	2 1= \	Vhite 2 = Purple		
		Vhite 2 = Purple	3 = White with purple throat	
*	14. POD COLOR	:		
	2 1= 1	an 2 = Brown	3 = Black	
+	15. PLANT PUBE	SCENCE COLOR:		\$ ************************************
	2 1=0	Gray 2 = Brown (Tawny))	
	16. PLANT TYPE:	S:		
	2 1= s	lender ('Essex'; 'Amsoy 71')	2 = Intermediate ('Amcor'; 'Braxton')	
	l I	sushy ('Gnome'; 'Govan')	(vinion, Diametry	
*	17. PLANT HABIT			
^				
		eterminate ('Gnome'; 'Braxton')	2 = Semi-Determinate ('Will')	
	3 = Iı	ndeterminate ('Nebsoy'; 'Improved i	Pelican')	
*	18. MATURITY GF	ROUP:		
Γ	5 _{1 =}		4Y 5H C III 5 IV	0. **
L			$4 = I \qquad 5 = II \qquad 6 = III \qquad 7 = IV$	8 = V
	0 -	X/T 10 = X/TT 11 = X/YYY *	10 - TV 10 V	
	9 =			
*		VI		
*		CTION: (Enter 0 = Not Tested; 1 = S		THE STATE OF THE S
*	19. DISEASE REA	CTION: (Enter 0 = Not Tested; 1 = S	Susceptible; 2 = Resistant)	
*	19. DISEASE REA	CTION: (Enter 0 = Not Tested; 1 = S	Susceptible; 2 = Resistant)	
*	19. DISEASE REA BACTERIAL * 0 Bac	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: sterial Pustule (Xanthomonas phas	Susceptible; 2 = Resistant) seoli var. sojensis)	
*	19. DISEASE REA BACTERIAL * 0 Bac	CTION: (Enter 0 = Not Tested; 1 = S	Susceptible; 2 = Resistant) seoli var. sojensis)	
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: sterial Pustule (Xanthomonas phas	Susceptible; 2 = Resistant) seoli var. sojensis)	
*	BACTERIAL * 0 Bac * 1 Bac * 0 Will	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phasecterial Blight (Pseudomonas glycine) dfire (Pseudomonas tabaci)	Susceptible; 2 = Resistant) seoli var. sojensis)	
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phasecterial Blight (Pseudomonas glycine) dfire (Pseudomonas tabaci)	Susceptible; 2 = Resistant) seoli var. sojensis)	
*	BACTERIAL * 0 Bac * 1 Bac * UNGAL DIS	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phasecterial Blight (Pseudomonas glycine) dfire (Pseudomonas tabaci)	Susceptible; 2 = Resistant) seoli var. sojensis)	
*	BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brown	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phase cterial Blight (Pseudomonas glycine cterial Pseudomonas tabaci) SEASES: wn Spot (Septoria glycines)	Susceptible; 2 = Resistant) seoli var. sojensis) ea)	
*	BACTERIAL BACTERIAL 10 Bac 11 Bac FUNGAL DIS Frog	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: Exterial Pustule (Xanthomonas phase Exterial Blight (Pseudomonas glycine Exterial Blight (Pseudomonas tabaci) ESEASES: EVIN Spot (Septoria glycines) Eye Leaf Spot (Cercospora sojina	Susceptible; 2 = Resistant) seoli var. sojensis) ea)	· · · · · · · · · · · · · · · · · · ·
*	BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brown	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: Exterial Pustule (Xanthomonas phase Exterial Blight (Pseudomonas glycine Exterial Blight (Pseudomonas tabaci) ESEASES: EVIN Spot (Septoria glycines) Eye Leaf Spot (Cercospora sojina	Susceptible; 2 = Resistant) seoli var. sojensis) ea)	Other (Specify)
*	BACTERIAL BACTERIAL 10 Bac 11 Bac FUNGAL DIS Frog	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: Exterial Pustule (Xanthomonas phase Exterial Blight (Pseudomonas glycine Exterial Blight (Pseudomonas tabaci) ESEASES: EVIN Spot (Septoria glycines) Eye Leaf Spot (Cercospora sojina	Susceptible; 2 = Resistant) seoli var. sojensis) ea)	Other (Specify)
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac * UNGAL DIS * 1 Brow Frog * 0 Race	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: Exterial Pustule (Xanthomonas phase Exterial Blight (Pseudomonas glycine Exterial Blight (Pseudomonas tabaci) ESEASES: EVIN Spot (Septoria glycines) Eye Leaf Spot (Cercospora sojina	Susceptible; 2 = Resistant) seoli var. sojensis) ea)	Other (Specify)
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brow Frog * 0 Race	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phase cterial Blight (Pseudomonas glycine dfire (Pseudomonas tabaci) SEASES: vn Spot (Septoria glycines) eye Leaf Spot (Cercospora sojina 1 0 Race 2 0 F et Spot (Corynespora cassiicola)	Susceptible; 2 = Resistant) seoli var. sojensis) ea) Race 3 0 Race 4 0 Race 5	Other (Specify)
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brow Frog * 0 Race	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: Sterial Pustule (Xanthomonas phase sterial Blight (Pseudomonas glycine dfire (Pseudomonas tabaci) SEASES: wn Spot (Septoria glycines) seye Leaf Spot (Cercospora sojina)	Susceptible; 2 = Resistant) seoli var. sojensis) ea) Race 3 0 Race 4 0 Race 5	Other (Specify)
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brow Frog * 0 Race 0 Targ	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phase cterial Blight (Pseudomonas glycine dfire (Pseudomonas tabaci) SEASES: vn Spot (Septoria glycines) eye Leaf Spot (Cercospora sojina 1 0 Race 2 0 F et Spot (Corynespora cassiicola)	Susceptible; 2 = Resistant) seoli var. sojensis) ea) Race 3	Other (Specify)
*	19. DISEASE REAL BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brow Frog * 0 Race 0 Targ 0 Dow 0 Powe	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: Exterial Pustule (Xanthomonas phase Exterial Blight (Pseudomonas glycine) Exterial Blight (Pseudomonas tabaci) SEASES: Extra Spot (Septoria glycines) Expect Leaf Spot (Cercospora sojina) Expect Spot (Cercospora sojina) Expect Spot (Corynespora cassiicola) Extra Spot (Corynespora cassiicola) Extra Spot (Corynespora trifoliorum Extra Mildew (Peronospora trifoliorum Extra Mildew (Microsphaera diffusa)	Susceptible; 2 = Resistant) seoli var. sojensis) ea) Race 3	Other (Specify)
*	19. DISEASE REA BACTERIAL * 0 Bac * 1 Bac * 0 Will FUNGAL DIS * 1 Brow Frog O Race O Targ O Dow O Pow 2 Brow	CTION: (Enter 0 = Not Tested; 1 = S DISEASES: cterial Pustule (Xanthomonas phase) cterial Blight (Pseudomonas glycine) dfire (Pseudomonas tabaci) SEASES: Nn Spot (Septoria glycines) eye Leaf Spot (Cercospora sojina) 1 0 Race 2 0 F et Spot (Corynespora cassiicola) et Spot (Corynespora cassiicola) et Spot (Peronospora trifoliorum)	Susceptible; 2 = Resistant) seoli var. sojensis) ea) Race 3	Other (Specify)

Page 2 of 4

	FUNGAL DISEASE	S: (Continued)		200000120					
*	1 Pod and Stem	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)							
	0 Purple Seed St	tain (Cercospora kikuchii)							
	1 Rhizoctonia Ro	pot Rot (Rhizoctonia solani)							
	Phytophthora	Rot <i>(Phytophthora megasperma var. sojae</i>)							
*	2 Race 1 0	Race 2 2 Race 3 0 Race 4 2 Rac	e 5 Race 6	0 Race 7					
	0 Race 8 0	Race 9 1 Other (Specify) 25							
	VIRAL DISEASES								
	1 Bud Blight (To	bacco Ringspot Virus)							
	1 Yellow Mosaic	(Bean Yellow Mosaic Virus)							
*	1 Cowpea Mosaid	c (Cowpea Chlorotic Virus)							
	Pod Mottle (Be	an Pod Mottle Virus)							
*	1 Seed Mottle (S	oybean Mosaic Virus)							
	NEMATODE DISEA	•							
	Soybean Cyst I	Nematode (Heterodera glycines)							
*	0 Race 1 0	Race 2 1 Race 3 0 Race 4 Other	er (Specify)						
	0 Lance Nematod	le (Hoplolaimus Colombus)							
*	0 Southern Root	Knot Nematode (Meloidogyne incognita)							
*	0 Northern Root	Knot Nematode <i>(Meloidogyne Hapla)</i>							
	0 Peanut Root Ki	not Nematode <i>(Meloidogyne arenaria)</i>							
	0 Reniform Nema	atode (Rotylenchulus reniformis)							
	0 OTHER DISEAS	E NOT ON FORM (Specify)							
20. F	PHYSIOLOGICAL RE	SPONSES: (ENTER 0 = Not tested, 1 = Susceptible,	2 = Resistant)						
*	0 Iron Chlorosis o	on Calcareois Soll							
	Other (Specify)							
21.	NSECT REACTION:	(ENTER 0 = Not tested, 1 = Susceptible, 2 = Resistar	it)	· · · · · · · · · · · · · · · · · · ·					
	<u> </u>	eetle (Epilachna Varivestis)	•	•					
. [0 Potato Leaf Hop	per (Empoasca fabae)							
[[Other (Spe	,							
		· · · · · · · · · · · · · · · · · · ·							
		RIETY MOST CLOSELY RESEMBLES THAT SUBMIT	ГЕ D.						
	CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY					
- 1	Plant Shape	9281	Seed Coat Luster	9281					
ı	Leaf Shape	9281	Seed Size	9281					
1	Leaf Color	9281	Seed shape	9281					
l	Leaf Size	9281	Seedling Pigmentation	9281					

FORM LMGS-470-57 (6-83)

Variety Name 92B75

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

	NO. OF VARIETY DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.		
		MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD	
_	Submitted 92B75	124	1.5	84	7	9	36	18	16	3	
	Name of Similar Variety 9281	125	1.5	79	7	9	36	20	16	3	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 92B75

In Exhibit C we have identified variety 92B75 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 92B75 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 92B75 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 92B75 is a mid-late Group II variety. If Group II varieties are divided into tenths, the relative maturity of 92B75 is 2.7.

REPRODUCE LOCALLY. Include form number and date on all reproductions.		RM APPROVED - OMB NO. 0581-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in acc 1974 (5 U.S.C. 552a) and the Paperwork R	
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to de certificate is to be issued (7 U.S.C. 2 until certificate is issued (7 U.S.C. 24	421). Information is held confidential
1. Name Of Applicant(s)	2. Temporary Designation Or Experimental Number	3. Variety Name
Pioneer Hi-Bred International, Inc.		92B75
1. Address (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)	5. Telephone (include area code)	6. Fax (include area code)
7300 NW 62nd Ave	515-270-3582	515-253-2288
P.O. Box 1004	7. PVPO Namber	and the same of
Johnston, Iowa 50131-1004	Z 0 0 0 0	120
3. Does the applicant own all rights to the variety? Mark an "X" in appropriate	block. If no, Please explain.	✓ YES □ NO
		· · · · · · · · · · · · · · · · · · ·
Is the applicant (individual or company) a U.S. national or U.S. based comp If no, give name of country	pany?	YES NO
n io, gito nano di dollali		
io. Is the applicant the original owner? ✓ YES ☐ NO	If no, please answer <u>one</u> of the followi	ing:
a. If original rights to variety were owned by individual(s	s), Is (are) the original owner(s) a U.S.	national(s)?
\square YES \square NO If no, give name of countr		
b. If original rights to variety were owned by a company	(ies), is(are) the original owner(s) a U	S based company?
YES NO If no, give name of country		o. sadoa odnipany i
11. Additional explanation on ownership (If needed, use reverse for extra s	pacej:	
LEASE NOTE:		
Plant variety protection can be afforded only to owners (not licensees) who m	-	
 If the rights to the variety are owned by the original breeder, that person inational of a country which affords similar protection to nationals of the l 	must be a U.S. national, national of a l J.S. for the same genus and species.	JPOV member country, or
If the rights to the variety are owned by the company which employed the nationals of a UPOV member country, or owned by nationals of a country genus and species.	e original breeder(s), the company mu which affords similar protection to n	ist be U.S. based, owned by ationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the original	al owner and the applicant must meet	one of the above criteria.
The original breeder/owner may be the individual or company who directed file for definition.	nal breeding. See Section 41(a)(2) of	the Plant Variety Protection Act
According to the Paperwork Reduction Act of 1995, no persons are required t	to respond to a collection of informati	on unless it displays a valid OM

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at 202-720-2600 (voice and TDD).

control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information

collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

and maintaining the data needed, and completing and reviewing the collection of information.